



L I V E Y O U R D R E A M S

Elegance 7

Length	6,96 m
Beam	2,77 m
Internal length	6,40 m
Internal beam	1,75 m
Tube diameter	60-55 cm
Weight	900 kg
Max. power	250 hp
Recommended power	200 hp
Shaft length	XL with 150 & 200 hp & L with 225 & 250 hp
Nb of compartments	5
Nb of persons	16
Fuel tank	190 L
Tube material	CR/CSM Orca 1670 Dtex
CE category	C



Elegance 7





Elegance 7

MAIN SPECIFICATIONS

- Anchor locker
- Fibreglass bow platform with stainless steel bow roller and two cleats
- Fibreglass hull with hypalon tube made in ORCA 1670 decitex
- Large console with windshield & stainless steel handrail
- Self-draining cockpit with safety valves
- Stainless steel fuel tank (190 L)
- Stern seat with wide storage and gas spring

HELM STATION

- Active Trim System
- Dashboard carbon style with switchboard (8 switches)
- Digital Instrumentation with Mercury VesselView 502
- Dual fibreglass leaning-post with locker and handle
- Factory installation for Mercury engine(s) and instrumentation
- Hydraulic steering with «Calypso» steering wheel
- Moving prop alert (bathing safety)

STANDARD EQUIPMENT

- Automatic bilge pump
- Bow sundeck
- Electric and manual air pump
- Foldable front seat on the console
- High quality upholstery set with high density foam
- LED navigation lights
- One Marine Battery
- Two fibreglass bathing platforms with one bathing ladder

OPTIONAL ACCESSORIES


- Bimini top for roll bar
- Bimini top with stainless steel frame
- Boat cover
- Bow sundeck extension with pedestal
- Console cover
- Dinette table with pedestal (bow)
- Electric windlass (without chain & anchor)
- Fresh water system with shower (60 L water tank)
- Lifting Slings with D-rings
- Mercury Theft Deterent system Premium
- Optional colours for hypalon tube & upholstery
- Refrigerator (42 L)
- Stainless steel roll bar with ski mast
- Teak covering for deck & platforms
- Two Attwood cockpit courtesy lights
- Two Attwood underwater LED lights

UPHOLSTERY



TUBE





w w w . b l a c k f i n - b o a t s . c o m